Constipation



IMPROVEMENT SERIES CARIS DIAGNOSTICS HEALTH

What is constipation? Constipation means that a person has three bowel movements or fewer in a week. The stool is hard and dry. Sometimes it is painful to pass. You may feel 'draggy' and full. Some people think they should have a bowel movement every day. That is not really true. There is no 'right' number of bowel movements. Each person's body finds its own normal number of bowel movements. It depends on the food you eat, how much you exercise, and other things. At one time or another, almost everyone gets constipated. In most cases, it lasts for a short time and is not serious. When you understand what causes constipation, you can take steps to prevent it.

What can I do about constipation? Changing what you eat and drink and how much you exercise will help relieve and prevent constipation. Here are some steps you can take.

1. Eat more fiber. Fiber helps form soft, bulky stool. It is found in many vegetables, fruits, and grains. Be sure to add fiber a little at a time, so your body gets used to it slowly. Limit foods that have little or no fiber such as ice cream, cheese, meat, snacks like chips and pizza, and processed foods such as instant mashed potatoes or already-prepared frozen dinners. The chart below lists some high-fiber foods.

2. Drink plenty of water and other liquids such as fruit and vegetable juices and clear soups. Liquid helps keep the

stool soft and easy to pass, so it's important to drink enough fluids. Try not to drink liquids that contain caffeine or alcohol. Caffeine and alcohol tend to dry out your digestive system.

3. Get enough exercise.

Regular exercise helps your digestive system stay active and healthy. You don't need to become a great athlete. A 20to 30-minute walk every day may help.

4. Allow yourself enough time to have a bowel movement.

Sometimes we feel so hurried that we don't pay attention to our body's needs. Make sure you don't ignore the urge to have a bowel movement.

5. Use laxatives only if a doctor says you should.

Laxatives are medicines that will make you pass a stool. Most people who are mildly constipated do not need laxatives. However, if you are doing all the right things and you are still constipated, your doctor may recommend laxatives for a limited time.

Your doctor will tell you if you need a laxative and what type is best for you. Laxatives come in many forms: liquid, chewing gum, pills, and powder that you mix with water, for example.

HIGH Fruit **Apples** Peaches

Raspberries **Tangerines**



Breads, Cereals, Beans Cooked black-eyed peas, kidney beans, lima beans. Cold All- Bran, Total Bran Flakes, whole-grain cereal, hot oatmeal, Wheatena. Whole-wheat or seven-grain bread.



Vegetables Acorn squash, raw broccoli, raw brussels sprouts, raw cabbage, raw carrots, raw cauliflower, raw spinach, cooked zucchini



6. Check with your doctor about any medicines you take.

Some medicines can cause constipation. They include calcium pills, pain pills with codeine in them, some antacids, iron pills, diuretics (water pills), and medicines for depression. If you take medicine for another problem, ask your doctor whether it could cause constipation.

REVERSE SIDE

Constipation



CARIS DIAGNOSTICS HEALTH IMPROVEMENT SERIES

Points to Remember

- Constipation affects almost everyone at one time or another.
- Many people think they're constipated when really they aren't.
- In most cases, following these simple tips will help prevent constipation:
 - Eat a variety of foods, especially beans, bran, whole grains, and fresh fruits and vegetables.
 - Drink plenty of liquids.
- Exercise regularly.
- Don't ignore the urge to have a bowel movement.
- Understand that normal bowel habits are different for everyone.
- If your bowel habits change, check with your doctor.
- Most people with mild constipation do not need laxatives. However, doctors may recommend laxatives for a limited time for people with chronic constipation.
- Medicines that you take for another problem might cause constipation.

ADDITIONAL RESOURCES:

American Gastroenterological Association email: webinfo@gastro.org www.gastro.org

International Foundation for Functional Gastrointestinal Disorders Inc. *email: iffgd@iffgd.org*

www.iffgd.org



8400 Esters Boulevard, Suite 190, Irving, Texas 75063

CarisDx.com 800.979.8292

Content provided by the National Digestive Diseases Information Clearinghouse (NDDIC), a service of the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK).

This material is intended for patient education and information only. It does not constitute advice, nor should it be taken to suggest or replace professional medical care from your physician. Your treatment options may vary, depending upon medical history and current condition. Only your physician and you can determine your best option.

Provided to you as a service by Caris Diagnostics, Inc.

©2008 Caris Diagnostics, Inc. All rights reserved. (01.08)

Caris Diagnostics provides academic-caliber Gl and Dermatology anatomic pathology testing services to physicians who treat patients in an ambulatory setting. Its industry-leading team of fellowship and subspecialty trained pathologists provide the highest levels of service to its clinician customers and their patients through its state-of-the-art laboratories, ongoing educational activities, proprietary advanced clinical practice solutions, and rigorous quality assurance programs. In addition, CarisMPI provides advanced analysis of patient samples through prognostic testing services, genomic and proteomic profiling to help guide physicians in the treatment of cancer and other complex diseases. More than 1,500 physicians nationally send their patient's biopsies to Caris Diagnostics at our four laboratories: Irving, Texas; Phoenix, Arizona(2); and Newton, Massachusetts. Additional information is available at www.carisdx.com.